	Application No.	Applicant(s)	1
Notice of Allowability	10/798,828	SCHIPPL ET AL.	(///
	Examiner	Art Unit	\
	Patrick F. Brinson	3752	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOR (PTOL-85) A GRANT	ars on the cover sheet with a OR REMAINS) CLOSED in the or other appropriate communication is subsand MPEP 1308. Examiner. der 35 U.S.C. § 119(a)-(d) or (been received. been received in Application is subsanding.	the correspondence addressis application. If not included cation will be mailed in due conject to withdrawal from issue of the conject to withdrawal from its withdraw	dourse, THIS at the initiative
International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the requ	uirements
5. A SUBSTITUTE OATH OR DECLARATION must be submininformal PATENT APPLICATION (PTO-152) which give			TICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspersor 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying Indicia such as the application number (see 37 CFR 1.6 each sheet. Replacement sheet(s) should be labeled as such in the stacked Examiner's comment regarding REQUIREMENT For the such sheet of the such	on's Patent Drawing Review (Amendment / Comment or in 84(c)) should be written on the case header according to 37 CFR 25it of BIOLOGICAL MATER	the Office action of drawings in the front (not the billing). IAL must be submitted. No	
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/05 Paper No./Mail Date 3/26/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ⊠ Interview Sum Paper No./Ma 8), 7. ⊠ Examiner's An	ail Date nendment/Comment atement of Reasons for Allov	

Application/Control Number: 10/798,828 Page 2

Art Unit: 3752

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Applicant's attorney, **Mr. Joseph Sofer** on Monday, September 20, 2004.

The application has been amended as follows:

In the Specification:

Page 2, lines 4 and 5, delete---in accordance with the introductory clause of claim 1---.

Page 3, lines 19 and 20, delete---This objective is achieved by the features specified in the characterizing clause of Claim 1.---.

2. The following is an examiner's statement of reasons for allowance: After a review of the prior art of record, it is believed that the present invention is novel and non-obvious wherein no reference discloses a flexible conduit including inner and outer metal tubes including a strip-shaped spacer member made of a low thermal conductivity material, which is sprially wound on the inner tube and contacts both the

Art Unit: 3752

inner and outer tube, the strip-shaped spacer member being twisted about its own axis, and is made of a metal that is stable with respect to high-energy radiation and has a thermal conductivity of less than 25 W/mK and has a tensile strength of more than 240 Mpa., as recited in claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Patrick F. Brinson** whose telephone number is (703) 308-0111, however, effective November 22, 2004, the telephone number will be (571) 272-4897. The examiner can normally be reached on M-F 7:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Michael Y. Mar** can be reached on (703) 308-2087. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/798,828

Art Unit: 3752

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patrick F. Brinson Primary Examiner Art Unit 3752

P. F. Brinson September 20, 2004